



THERMA-TRU  
SIMPSON WOOD DOORS  
COMBINATION STORM DOORS  
GM WOOD PRODUCTS  
KENT INTERIOR DOORS  
NEUMA PATIO DOORS  
SCHLAGE COMMERCIAL LOCKS  
VIWINTech WINDOWS

Entry Door Division  
3810 Roger B. Chaffee  
Grand Rapids, MI 49548  
(P) 616.261.3250; (F) 616.261.3270

## ENTRY DOOR DIVISION RETURN POLICY

All pre-assembled door units are made-to-order. Therefore, the Entry Door Division return policy is different from that of Lumbermen's standard return policy. Once production of a custom pre-hung door has begun it cannot be cancelled. The remaining details of the Entry Door Division return policy are as follows:

- A. Customers are asked to examine order acknowledgements for accuracy as well as to inspect doors at time of delivery. A signature on the shipping paperwork indicates the door has been received accurately and in saleable condition. **Once your customer has picked up or you have delivered the product, Lumbermen's no longer accepts any responsibility of damage that can occur during delivery or installation.**
  
- B. If there is a problem with a door, contact our customer service department at 1-866-687-2332. If a correction to the door unit (replacement parts...) can be made without returning it to Lumbermen's we will attempt to do so. However, if for reason of concealed damage, product defect, or Lumbermen's order or shipping error a door needs to be returned, the following guidelines apply:
  1. Concealed Damage  
We will only allow returns because of concealed damage within 5 working days of receipt. In this instance, a Lumbermen's customer service representative will create a return material authorization and arrange for the door to be picked up on the next available truck. The RMA sticker that the driver will have must be affixed to product prior to loading.
  2. Product Defect  
Doors considered defective can also be returned within 5 working days of receipt. After 5 days the door must be inspected and approved for return by a Lumbermen's Door Specialist. If the specialist determines the door is eligible for return, a return material authorization will be processed and the door will be picked up on the next available truck.
  3. Lumbermen's Order/Shipping Error  
See "Product Defect" guidelines above.
  
- C. If required, a replacement door unit can be built. The replacement unit will be charged in full. Full credit will be issued when product is picked up and upon inspection of returned item at Lumbermen's Door Division. The defective product must be returned in the same condition it was received, any material destroyed will not be credited.

Lumbermen's is committed to working with our customer in all matters pertaining to our doors. We ask that you make the first inspection at the jobsite to determine proper installation or manufacturer defect. All Lumbermen's doors are shipped with installation instructions that are essential to follow for proper operation. If it is determined that there was an installation problem, responsibility will lie with the installer. If a Lumbermen's representative is called to the jobsite and it is determined that the door unit was installed in a manner not compliant with Therma Tru's installation instructions a \$150.00 service charge will apply.

All returns for reasons other than those listed above will be made at Lumbermen's discretion, and will be subject to 20% restock charge. This includes returns for door component parts (i.e. glass, frames, and hinges.)

# OPTIONS PAGES INDEX

## Warranty, Dimensional, and Color charts

Astragals.....	Options	Page 2
Bag for Protection.....	Options	Page 1
Bandit Latch.....	Options	Page 1
Cardboard Protection.....	Options	Page 1
Clavos.....	Options	Page 2
Composite Brickmold Adders.....	Options	Page 1
Corner Pads.....	Options	Page 1
Cull Doors.....	Options	Page 2
Cut Down Doors & Sidelites.....	Options	Page 2
Dentil Shelves.....	Options	Page 2
Door Lite Cut-Out.....	Options	Page 1
Double Bore.....	Options	Page 1
Double Door Unit Pricing.....	Options	Page 2
Fire Labels.....	Options	Page 2
Frame Only Options.....	Options	Page 1
Hinge Options.....	Options	Page 11
Jamb Options.....	Options	Page 4 - 9
Jamb Reinforcement Plate.....	Options	Page 1
Mail Slot Cut-outs.....	Options	Page 2
Mortise Edge Prep.....	Options	Page 1
Multi-Point Lock Systems.....	Options	Page 12
No Sill.....	Options	Page 1
No-Mar Cladding.....	Options	Page 15
Panic/Closer Reinforcement.....	Options	Page 1
Patented Shim System.....	Options	Page 1
Patio Door Screens.....	Options	Page 2
Peepsite Bore.....	Options	Page 1
Peepsite Prep/Install.....	Options	Page 1
Pre-Finish Options.....	Options	Page 13
Premium Cladding Options.....	Options	Page 14
Rain Deflectors.....	Options	Page 2
Security Strike Plates (Additional)....	Options	Page 1
Sill Covers.....	Options	Page 10
Sill Options.....	Options	Page 10
Sill Pans.....	Options	Page 10
Slab Only Options.....	Options	Page 1
Stain Kits.....	Options	Page 1
Steel Frames (90 Minute) .....	Options	Page 2
Storm Door Adaptors.....	Options	Page 2
Strap Hinges.....	Options	Page 2
Sweeps.....	Options	Page 1
Transom Jamb Options.....	Options	Page 10
Vented Sidelites.....	Options	Page 2
Interior Casing.....	Options	Page 16

	Classic Craft	Fiber Classic, Smooth Star, Profiles	Traditions
Double Bore	\$9	\$9	\$9
Jamb Reinforcement Plate	\$16	\$16	\$16
Bore for Peepsite (60" from bottom of door is standard)	\$9	\$9	\$9
Prep/Install Peepsite (60" from bottom of door is standard)	\$17	\$17	\$17
Cardboard Protection for slabs (per side)	\$6.22	\$6.22	\$6.22
Patented Shim System	(\$8.12)	(\$8.12)	\$8.12
Additional Adjustable Security Strike Plate	\$3.79	\$3.79	\$3.79
For No Adjustable Security Strike Plate Deduct	(\$3.79)	\$3.79	\$0
Slab bag (for protection)	(\$2)	(\$2)	\$2
Bandit Latch (single door: includes strikes and dust box)	\$47	\$47	\$47
Bandit latch (Doors w/sidelites: include strike)	\$45	\$45	\$45
(Available colors: Satin Nickel, Oil Rubbed Bronze, Polished Chrome, Polished Brass, Antique Brass)			
<b>Dura-Frame Frame Only. (Includes Brickmold and Mill TD Sill)</b>			
4-9/16" Single 6/8	\$189	\$189	\$189
4-9/16" Double 6/8	\$254	\$254	\$254
4-9/16" Single 7/0 & 8/0	\$243	\$243	\$243
4-9/16" Double 7/0 & 8/0	\$319	\$319	\$319
4-9/16" Single Door with Single Sidelite 6/8 (w/Continuous Sill)	\$433	\$433	\$433
4-9/16" Single Door with Double Sidelite 6/8 (w/Continuous Sill)	\$598	\$598	\$598
4-9/16" Single Door with Single Sidelite 6/8 (Boxed Unit)	\$324	\$324	\$324
4-9/16" Single Door with Double Sidelite 6/8 (Boxed Unit)	\$445	\$445	\$445
Slab Only 6/8 <b>Deduct</b>	(\$160)	(\$160)	(\$114)
Slab Only 7/0 & 8/0 <b>Deduct</b>	(\$234)	(\$234)	(\$214)
Door Lite Cut-Out Charge	\$22	\$22	\$22
White Composite Brickmold Adder:	\$29	\$29	\$35

<b>SPECIALTY PREPS</b>			
Panic/Closer Reinforcement Prep (CC, FCM, FCO, SS, PR, TS)	\$242	\$242	\$242
Panic/Closer Reinforcement Prep Steel Edge	SE Doors	Only	\$100
Mortise Edge Prep only (No Face Bores)	\$104	\$104	\$104
No Sill	(\$54)	(\$34)	(\$21)
True Defense Corner Pads ( 7 Pad ) #2T4ASP	\$3	\$3	N/A
Basic Corner Pads	N/A	N/A	\$1
Replacement Door Bottom Sweeps:	\$8	\$8	\$8

<b>STAIN (Therma-Tru Colors Only) Mahogany, Cherry, Cedar, Natural Oak, Light Oak, Walnut, English Walnut</b>			
Same Day Stain Kit	118	118	N/A
Gallon of Stain	189	189	N/A
Quart of Stain	57	57	N/A
8 oz. of Stain	27	27	N/A
20 oz. of Top Coat	49	49	N/A
Gallon of Top Coat	169	169	N/A
Touch up paint	11	11	N/A
Touch up stain	15	15	N/A
1 Quart of Stain	\$55	\$55	N/A
1 Quart of Paint	\$28	\$28	N/A

# OPTIONS



Classic Craft      Fiber Classic, Smooth Star, Profiles      Traditions

<b>Cut Down Doors:</b>			
Doors cut up to 1/2"	No-Charge	No-Charge	No-Charge
Doors cut 9/16" - 4"	\$162	\$162	\$162
Doors cut over 4"	\$189	\$189	\$189
Sidelites cut up to 1/2"	No-Charge	No-Charge	No-Charge
Sidelites cut 9/16" - 4"	\$108	\$108	\$108
Sidelites cut over 4"	\$135	\$135	\$135
Reduce Sidelite Width, Fiberglass only	\$108	\$108	\$108
Spread Mull On Boxed Units up to 4 -1/2" (call for quote for Larger)	\$162	\$162	\$162
Spread Mull On Continuous Units up to 3"	\$162	\$162	\$162
<b>Rain Deflector - Bronze, Stone &amp; White</b>			
	\$19	\$19	\$19
<b>Mail Slot / Pet Door (Cut-out only)</b>			
	\$49	\$49	\$49
<b>4 Block Dentil Shelf</b>			
	\$146	\$141	N/A
<b>16 Block Dentil Shelf</b>			
	\$146	N/A	N/A
<b>Vented Sidelites (per sidelite) FC &amp; SS only 6'/8"</b>			
	N/A	\$703	N/A
<b>Vented Sidelites (per sidelite) FC &amp; SS only 8'/0"</b>			
	N/A	\$920	N/A
<b>Vented Sidelite Screens (White or Bronze 12" or 14") 6'/8"</b>			
	N/A	\$81	N/A
<b>Vented Sidelite Screens (White or Bronze 12" or 14") 8'/0"</b>			
	N/A	\$97	N/A
<b>Fire Labels</b>			
<b>Fire Label 20-Minute (Steel Doors Only)</b>			
	-	\$11	\$11
<b>Double Door Section</b>			
<b>Double Doors Units 2 times the single door price plus</b>			
	\$135	\$135	\$135
<b>Oak Stainable Astragal</b>			
	\$146	\$146	\$146
<b>Mahogany Stainable Astragal</b>			
	\$146	\$146	\$146
<b>Fir Stainable Astragal</b>			
	\$146	\$146	\$146
<b>Patio Door Section</b>			
<b>Patio Door Units 2 times the single door price plus</b>			
	\$216	\$216	\$216
<b>Sliding Standard Patio Screen (2" Wide Stile)</b>			
	\$206	\$206	\$206
<b>Sliding Deluxe Patio Screen (3" Wide Stile)</b>			
	\$271	\$271	\$271
<b>Hinged Double Patio Door Screen 6'/8"</b>			
	\$633	\$633	\$633
<b>Hinged Double Patio Door Screen 8'/0"</b>			
	\$1,055	\$1,055	\$1,055
<b>Patio Door Screens available in White, Almond, Stone and Bronze</b>			
<b>Decorative Hardware</b>			
<b>Clavos, Round and Pyramid Shapes</b>			
	\$16.00 Each		
<b>18" Strap Hinges</b>			
	\$99.00 Each		
<b>24" Strap Hinges</b>			
	\$108.00 Each		
<b>Cull Door Program</b>			
	Net Charge		
6/8 Height	\$ 50.00	Subject to Availability	
8/0 Height	\$ 125.00		

## Storm Door Adaptors

### 4 9/16" X 6'8", 7'0" or 8'0"

Primed	\$	<b>81.00</b>
Pine	\$	<b>108.00</b>
Fir	\$	<b>124.00</b>
Oak	\$	<b>135.00</b>
Mahogany	\$	<b>189.00</b>

### 6 9/16" X 6'8", 7'0" or 8'0"


Primed	\$	<b>97.00</b>
Pine	\$	<b>173.00</b>
Fir	\$	<b>195.00</b>
Oak	\$	<b>238.00</b>
Mahogany	\$	<b>362.00</b>

## Steel Frames

### Fixed or ADA Sill 6/8 Sizes

4 1/2" - 5-1/2"	<b>\$119.00</b>
5 1/2" - 6-1/2"	<b>\$124.00</b>
6 1/2" - 7-1/2"	<b>\$146.00</b>
7 1/2" - 8-1/2"	<b>\$198.00</b>
8 1/2" - 9-1/2"	<b>\$216.00</b>

**Classic Craft, Fiber Classic, Smooth Star, Profiles, Simpson**



**Finger jointed primed**

			Narrow Mull Post	Narrow Mull Post
3" - 4-1/2" deduct	(\$6)	(\$12)	(\$49)	(\$49)
4-9/16" deduct	(\$22)	(\$27)	(\$64)	(\$64)
4-3/4" to 6-1/4"	\$35	\$55	\$0	\$0
6-9/16"	\$8	\$22	(\$54)	(\$54)
<b>No Brickmould Deduct:</b>	<b>(\$16)</b>	<b>(\$19)</b>	<b>(\$19)</b>	<b>(\$19)</b>

**Dura-Frame**

			Fat Boy Mull Post	Fat Boy Mull Post
3" - 4-1/2"	\$15	\$15	\$15	\$15
4-9/16"	Standard	Standard	Standard	Standard
4-5/8" - 5-3/16"	\$45	\$56	\$63	\$63
5-1/4"	\$30	\$39	\$47	\$47
5-5/16" - 6-1/2"	\$56	\$76	\$81	\$81
6-9/16"	\$39	\$60	\$63	\$63
6-5/8" - 8-1/2"	\$151	\$179	\$189	\$189
8-9/16"	\$135	\$162	\$171	\$171
8-3/4" - 12"	\$233	\$298	\$303	\$303
For 6 9/16" Arch or Radius	\$81	N/A	N/A	N/A
<b>No Brickmould Deduct:</b>	<b>(\$32)</b>	<b>(\$38)</b>	<b>(\$38)</b>	<b>(\$38)</b>

**Clear Pine**


			3 9/16" Wide Mull Post	3 9/16" Wide Mull Post
3" - 4-1/2"	\$92	\$103	\$195	\$195
4-9/16"	\$81	\$92	\$184	\$184
4-5/8" - 6-1/2"	\$174	\$211	\$319	\$319
6-9/16"	\$162	\$200	\$308	\$308
6-5/8" - 8-1/2"	\$362	\$422	\$552	\$552
8-9/16"	\$352	\$411	\$541	\$541
<b>No Brickmould Deduct:</b>	<b>(\$27)</b>	<b>(\$32)</b>	<b>(\$33)</b>	<b>(\$33)</b>

**Clear Oak**

			3 9/16" Wide Mull Post	3 9/16" Wide Mull Post
3" - 4-1/2"	\$379	\$319	\$665	\$665
4-9/16"	\$368	\$308	\$655	\$655
4-5/8" - 6-1/2"	\$417	\$514	\$866	\$866
6-9/16"	\$406	\$503	\$855	\$855
6-5/8" - 8-1/2" (Boxed Sidelite unit only)	\$839	\$1,001	\$1,353	\$1,353
<b>No Brickmould Deduct:</b>	<b>(\$49)</b>	<b>(\$65)</b>	<b>(\$76)</b>	<b>(\$76)</b>

# JAMB OPTIONS 6'8"

## Classic Craft, Fiber Classic, Smooth Star, Profiles, Simpson



**Mahogany**

	3 9/16" Wide Mull Post		3 9/16" Wide Mull Post	
3" - 4-1/2"	\$552	\$655	\$1,174	\$1,174
4-9/16"	\$541	\$644	\$1,163	\$1,163
4-5/8" - 6-1/2"	\$822	\$974	\$1,520	\$1,520
6-9/16"	\$812	\$963	\$1,509	\$1,509
6-5/8" - 8-9/16"	\$1,390	\$1,650	\$2,202	\$2,202
<b>No Brickmould Deduct:</b>	<b>(\$70)</b>	<b>(\$87)</b>	<b>(\$87)</b>	<b>(\$87)</b>

**Fir**

	3 9/16" Wide Mull Post		3 9/16" Wide Mull Post	
3" - 4-1/2"	\$195	\$227	\$373	\$373
4-9/16"	\$184	\$238	\$362	\$362
4-5/8" - 6-1/2"	\$319	\$395	\$584	\$584
6-9/16"	\$308	\$384	\$573	\$573
6-5/8" - 8-9/16"	\$595	\$730	\$882	\$882
<b>No Brickmould Deduct:</b>	<b>(\$54)</b>	<b>(\$65)</b>	<b>(\$65)</b>	<b>(\$65)</b>

**White cap composite (Dura-Plast White)**

	3 9/16" Wide Mull Post		3 9/16" Wide Mull Post	
4-9/16"	\$124	\$152	\$628	\$628
5-1/4"	\$157	\$189	\$677	\$677
6-9/16"	\$195	\$249	\$699	\$699
<b>No Brickmould Deduct:</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$30)</b>	<b>(\$30)</b>

**Wood-grain Composite (Dura-Plast Wood-Grain)**

	3 9/16" Wide Mull Post		3 9/16" Wide Mull Post	
4-9/16"	\$137	\$173	\$638	\$638
5-1/4"	\$183	\$168	\$687	\$687
6-9/16"	\$200	\$287	\$709	\$709
<b>No Brickmould Deduct:</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$30)</b>	<b>(\$30)</b>

**Dura-Tech White**

	Wide Mull		Wide Mull	
4-9/16"	\$97	\$119	\$254	\$254
4-5/8" - 5-3/16"	\$276	\$341	\$481	\$481
5-1/4"	\$157	\$195	\$341	\$341
5-5/16" - 6-1/2"	\$287	\$363	\$503	\$503
6-9/16"	\$168	\$215	\$352	\$352
<b>No Brickmould Deduct:</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$27)</b>

**Dura-Tech Wood-Grain**

	Wide Mull		Wide Mull	
4-9/16"	\$113	\$135	\$298	\$298
4-5/8" - 5-3/16"	\$298	\$368	\$525	\$525
5-1/4"	\$179	\$222	\$379	\$379
5-5/16" - 6-1/2"	\$308	\$390	\$541	\$541
6-9/16"	\$189	\$243	\$406	\$406
<b>No Brickmould Deduct:</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$27)</b>

Notes: Dura-Tech mull post available in 4 9/16" & 6 9/16"


Duraframe/Finger-Joint Primed units come standard with storm door prep up to 6-9/16". Over 6-9/16" jamb size unit will include a 3-9/16" mull post.

Storm Door Adapters available. See Page 3

Species Jamb (Pine, Fir, Mahogany, Oak) come standard with a 3-9/16" mull post on all continuous units.

Species Jamb Boxed Units come storm door prepped automatically

**Classic Craft, Fiber Classic, Smooth Star, Profiles, Simpson**



<b>Dura-Frame</b>				
3" - 4-1/2"	\$15	\$15	\$15	\$15
4-9/16"	Standard	Standard	Standard	Standard
4-5/8" - 6-1/2"	\$70	\$96	\$107	\$107
6-9/16"	\$58	\$84	\$94	\$94
6-5/8" - 8-9/16" (Boxed Sidelite unit only)	\$187	\$193	\$263	\$263
For 6 9/16" Arch or Radius	\$101	N/A	N/A	N/A
No Brickmould Deduct:	(\$38)	(\$45)	(\$40)	(\$40)
<b>Clear Pine</b>				
3" - 4-1/2"	\$107	\$118	\$226	\$226
4-9/16"	\$92	\$103	\$211	\$211
4-5/8" - 6-1/2"	\$205	\$259	\$367	\$367
6-9/16"	\$189	\$243	\$352	\$352
6-5/8" - 8-9/16" (Boxed Sidelite unit only)	\$307	\$383	\$583	\$583
No Brickmould Deduct:	(\$43)	(\$49)	(\$49)	(\$49)
<b>Clear Oak</b>				
3" - 4-1/2"	\$318	\$351	\$783	\$783
4-9/16"	\$303	\$335	\$768	\$768
4-5/8" - 6-1/2"	\$529	\$583	\$1,016	\$1,016
6-9/16"	\$514	\$568	\$1,005	\$1,005
6-5/8" - 8-9/16" (Boxed Sidelite unit only)	\$920	\$1,022	\$1,488	\$1,488
No Brickmould Deduct:	(\$108)	(\$16)	(\$124)	(\$124)
<b>Mahogany</b>				
3" - 4-1/2"	\$610	\$659	\$1,395	\$1,395
4-9/16"	\$595	\$646	\$1,380	\$1,380
4-5/8" - 6-1/2"	\$962	\$1,016	\$1,773	\$1,773
6-9/16"	\$947	\$1,001	\$1,758	\$1,758
6-5/8" - 8-9/16" (Boxed Sidelite unit only)	\$1,563	\$1,726	\$2,483	\$2,483
No Brickmould Deduct:	(\$195)	(\$211)	(\$211)	(\$211)
<b>Fir</b>				
3" - 4-1/2"	\$205	\$253	\$399	\$399
4-9/16"	\$189	\$238	\$384	\$384
4-5/8" - 6-1/2"	\$367	\$421	\$637	\$637
6-9/16"	\$352	\$406	\$622	\$622
6-5/8" - 8-9/16" (Boxed Sidelite unit only)	\$655	\$741	\$958	\$958
No Brickmould Deduct:	(\$65)	(\$76)	(\$76)	(\$76)
<b>White cap composite (Dura-Plast White)</b>				
4-9/16"	\$157	\$173	3 9/16" Wide Mull Post \$688	3 9/16" Wide Mull Post \$688
5-1/4"	\$211	\$233	\$737	\$737
6-9/16"	\$243	\$287	\$759	\$759
No Brickmould Deduct:	(\$60)	(\$70)	(\$75)	(\$75)
<b>Wood-grain Composite (Dura-Plast Wood-Grain)</b>				
4-9/16"	\$173	\$205	3 9/16" Wide Mull Post \$698	3 9/16" Wide Mull Post \$698
5-1/4"	\$222	\$271	\$747	\$747
6-9/16"	\$271	\$319	\$769	\$769
No Brickmould Deduct:	(\$60)	(\$70)	(\$75)	(\$75)
<b>Dura-Tech White</b>				
4-9/16"	\$114	\$135	\$281	\$281
4-5/8" - 5-3/16"	\$298	\$368	\$509	\$509
5-1/4"	\$173	\$222	\$362	\$362
5-5/16" - 6-1/2"	\$308	\$390	\$530	\$530
6-9/16"	\$184	\$243	\$384	\$384
No Brickmould Deduct:	(\$32)	(\$43)	(\$43)	(\$43)
<b>Dura-Tech Wood-Grain</b>				
4-9/16"	\$124	\$157	\$325	\$325
4-5/8" - 5-3/16"	\$206	\$390	\$573	\$573
5-1/4"	\$189	\$243	\$427	\$427
5-5/16" - 6-1/2"	\$222	\$417	\$595	\$595
6-9/16"	\$206	\$271	\$449	\$449
No Brickmould Deduct:	(\$49)	(\$60)	(\$60)	(\$60)

Notes: Dura-Tech mull post available in 4 9/16" & 6 9/16"

Duraframe/Finger-Joint Primed units come standard with storm door prep up to 6-9/16". Over 6-9/16" jamb size unit will include a 3-9/16" mull post.

Storm Door Adapters available. See Page 3

Species Jambs (Pine, Fir, Mahogany, Oak) come standard with a 3-9/16" mull post on all continuous units.


Species Jamb Boxed Units come storm door prepped automatically



# JAMB OPTIONS 8'0"



## Traditions



Dura-Frame		Wide Mull Post		Wide Mull Post	
3" - 4-1/2"	\$38	\$32	\$15	\$15	
4-9/16"	\$23	\$28	STD	STD	
4-5/8" - 5-3/16"	\$68	\$97	\$347	\$347	
5-1/4"	\$53	\$82	\$332	\$332	
5-5/16" - 6-1/2"	\$19	\$137	\$292	\$292	
6-9/16"	\$94	\$122	\$277	\$277	
6-5/8" - 8-1/2"	\$171	\$207	\$431	\$431	
8-9/16"	\$156	\$192	\$415	\$415	
No Brickmould Deduct:		(\$32)	(\$38)	(\$38)	(\$38)

White cap composite (Dura-Plast White)		3 9/16" Wide Mull Post		3 9/16" Wide Mull Post	
4-9/16"	\$180	\$201	\$688	\$688	
6-9/16"	\$279	\$325	\$759	\$759	
No Brickmould Deduct:		(\$27)	(\$30)	(\$30)	(\$30)


Dura-Tech White					
4-9/16"	\$136	\$163	\$281	\$281	
4-5/8" - 5-3/16"	\$344	\$425	\$513	\$513	
5-1/4"	\$184	\$220	\$365	\$365	
5-5/16" - 6-1/2"	\$344	\$425	\$535	\$535	
6-9/16"	\$219	\$279	\$391	\$391	
No Brickmould Deduct:		(\$27)	(\$27)	(\$27)	(\$27)

Notes: Dura-Tech mull post available in 4 9/16" & 6 9/16"  
 Duraframe/Finger-Joint Primed units come standard with storm door prep up to 6-9/16". Over 6-9/16" jamb size unit will include a 3-9/16" mull post.  
 Storm Door Adapters available. See Page 3

# JAMB OPTIONS 6'8"



## Traditions



Finger jointed primed		3 9/16" Narrow Mull Post		3 9/16" Narrow Mull Post	
3" - 4-1/2"	\$15	\$15	\$15	\$15	\$15
4-9/16"	Standard	Standard	Standard	Standard	Standard
4-3/4" to 6-1/2"	\$56	\$82	\$64	\$64	\$64
6-9/16"	\$29	\$49	\$10	\$10	\$10
<b>No Brickmould Deduct:</b>	<b>(\$16)</b>	<b>(\$19)</b>	<b>(\$19)</b>	<b>(\$19)</b>	<b>(\$19)</b>

Finger jointed primed		3 9/16" Wide Mull Post		3 9/16" Wide Mull Post	
3" - 4-1/2"		\$24		\$32	
4-9/16"		Standard		Standard	
4-3/4" to 6-1/2"		\$72		\$81	
6-9/16"		\$18		\$27	
<b>No Brickmould Deduct:</b>		<b>(\$19)</b>		<b>(\$19)</b>	

Dura-Frame		Wide Mull Post		Wide Mull Post	
3" - 4-1/2"	\$37	\$42	\$79	\$79	\$79
4-9/16"	\$22	\$27	\$64	\$64	\$64
4-5/8" - 5-3/16"	\$67	\$83	\$127	\$127	\$127
5-1/4"	\$52	\$66	\$110	\$110	\$110
5-5/16" - 6-1/2"	\$78	\$103	\$145	\$145	\$145
6-9/16"	\$61	\$87	\$127	\$127	\$127
6-5/8" - 8-1/2"	\$173	\$206	\$253	\$253	\$253
8-9/16"	\$157	\$189	\$235	\$235	\$235
8-3/4" - 12" (Boxed Sidelite unit only)	\$237	\$308	\$382	\$382	\$382
<b>No Brickmould Deduct:</b>	<b>(\$32)</b>	<b>(\$32)</b>	<b>(\$35)</b>	<b>(\$38)</b>	<b>(\$38)</b>

White cap composite (Dura-Plast White)					
4-9/16"	\$146	\$179	\$692	\$692	\$692
5-1/4"	\$179	\$273	\$741	\$741	\$741
6-9/16"	\$216	\$315	\$763	\$763	\$763
<b>No Brickmould Deduct:</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$30)</b>	<b>(\$30)</b>	<b>(\$30)</b>

Dura-Tech White					
4-9/16"	\$119	\$146	\$318	\$318	\$318
4-5/8" - 5-3/16"	\$298	\$424	\$608	\$608	\$608
5-1/4"	\$179	\$261	\$451	\$451	\$451
5-5/16" - 6-1/2"	\$308	\$465	\$648	\$648	\$648
6-9/16"	\$189	\$302	\$478	\$478	\$478
<b>No Brickmould Deduct:</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$27)</b>	<b>(\$27)</b>

Notes: Dura-Tech mull post available in 4 9/16" & 6 9/16"

Duraframe/Finger-Joint Primed units come standard with storm door prep up to 6-9/16". Over 6-9/16" jamb size unit will include a 3-9/16" mull post.

Storm Door Adapters available. See Page 3

## Transom Jamb Adders



Jamb Sizes		Rectangular 3/0 Door	Rectangular 3/0 with S/L(s)	Rectangular Double Door	Half Round 3/0 Door	Half Round 3/0 with S/L(s)	Ellipse 3/0 with S/L(s)	Ellipse Double Door
<b>Primed</b>	Less Than 4-9/16"	135	160	160	CALL	CALL	CALL	CALL
	4-9/16"	STD	STD	STD	STD	STD	STD	STD
	4-5/8" to 6-1/2"	153	188	188	CALL	CALL	CALL	CALL
	6-9/16"	115	150	150	108	143	154	157
	6-5/8" to 8-1/2"	168	286	286	CALL	CALL	CALL	CALL
	8-9/16"	146	264	264	224	286	308	313

<b>*Aluminum Clad Any Stock Color</b>	Less Than 4-9/16"	253	345	304	CALL	CALL	CALL	CALL
	4-9/16"	240	304	304	38	45	182	193
	4-5/8" to 6-1/2"	262	356	356	CALL	CALL	CALL	CALL
	6-9/16"	298	370	370	146	188	337	350
	6-5/8" to 8-1/2"	319	392	392	CALL	CALL	CALL	CALL
	8-9/16"	413	510	510	261	331	490	506

<b>Clear Pine</b>	Less Than 4-9/16"	156	176	179	CALL	CALL	CALL	CALL
	4-9/16"	118	141	141	134	184	225	229
	4-5/8" to 6-1/2"	185	227	227	CALL	CALL	CALL	CALL
	6-9/16"	147	159	189	300	327	379	385

<b>Oak</b>	Less Than 4-9/16"	195	254	254	CALL	CALL	CALL	CALL
	4-9/16"	157	216	216	157	239	267	273
	4-5/8" to 6-1/2"	267	384	384	CALL	CALL	CALL	CALL
	6-9/16"	229	346	346	325	454	498	507

<b>Mahogany</b>	Less Than 4-9/16"	334	260	460	CALL	CALL	CALL	CALL
	4-9/16"	296	422	422	344	527	586	599
	4-5/8" to 6-1/2"	260	665	665	CALL	CALL	CALL	CALL
	6-9/16"	422	628	628	579	827	910	928

<b>Fir</b>	Less Than 4-9/16"	139	184	184	CALL	CALL	CALL	CALL
	4-9/16"	101	146	146	CALL	CALL	CALL	CALL
	4-5/8" to 6-1/2"	206	211	211	CALL	CALL	CALL	CALL
	6-9/16"	168	173	173	CALL	CALL	CALL	CALL

		Rectangular 3/0 Door	Rectangular 3/0 with S/L(s)	Rectangular Double Door			Rectangular 3/0 Door	Rectangular 3/0 with S/L(s)	Rectangular Double Door
<b>Dura-Tech</b>	<b>White</b>				<b>Dura-Tech</b>	<b>Woodgrain</b>			
	4-9/16"	101	136	136		4-9/16"	113	153	153
	5-1/4"	119	166	166		5-1/4"	132	186	186
	6-9/16"	137	197	197		6-9/16"	152	220	220


\*Note: Aluminum Clad Ellipse and Half Round Transom are only provided with Narrowline Nosing.


# SILL OPTIONS


Classic-Craft  
Simpson


Fiber-Classic  
Smooth-Star  
Profiles


Traditions


True Defense Composite Adjustable Sill					
	Satin Nickel	ADD	STD	\$27	\$45
	Bronze	ADD	STD	\$27	\$45
	Brass	ADD	STD	\$27	\$45
	Mill	ADD/DEDUCT	(\$25)	STD	\$19


Basic Composite Adjustable Sill (Mill finish only)					
	Mill	ADD/DEDUCT	(\$32)	(\$9)	\$11

Basic Fixed Sill (Mill finish only)					
	Mill	ADD/DEDUCT	(\$43)	(\$18)	STD

Composite Outswing Sill					
	Satin Nickel	ADD	\$26	\$52	\$70
	Bronze	ADD	\$26	\$52	\$70
	Brass	ADD	\$26	\$52	\$70
	Mill	ADD	\$15	\$40	\$60

Public Access Inswing Sill (Inswing & Outswing)					
	Mill	ADD	\$23	\$23	\$43
	Bronze		\$48	\$48	\$68

Sill Cover (Inswing only) Not available on ADA sill or fixed sill.					
	4-9/16"	ADD/DEDUCT	(\$5)	\$5	\$5
	6-9/16"	ADD/DEDUCT	(\$6)	\$6	\$6

Sill Pan (Inswing Only)		Adjustable:				
	4-9/16"	2/8 - 3/0	ADD	\$43	\$43	\$43
		5/0 - 6/0	ADD	\$65	\$65	\$65
	6-9/16"	2/8 - 3/0	ADD	\$65	\$65	\$65
		5/0 - 6/0	ADD	\$89	\$89	\$89

Ships loose

For Double doors use 2 times the single sill price



# HINGE OPTIONS

Classic-Craft  
Simpson

Fiber-Classic  
Smooth Star  
Profiles

Traditions

Sold Separately

## INSWING

**Therma-Tru Non Ball-Bearing**

**Fiber-Classic, Smooth Star, Profiles, Traditions**

- Zinc Dichromate
- Brushed Nickel
- Oil Rubbed Bronze



N/A	STD	STD	\$2 each
N/A	STD	\$11	\$4 each
N/A	STD	\$11	\$4 each

## OUTSWING

**Therma-Tru Non Ball-Bearing**

**Fiber-Classic, Smooth Star, Profiles, Traditions**

- Zinc Dichromate
- Brushed Nickel
- Oil Rubbed Bronze
- Polished Chrome
- Black Nickel
- Stainless Steel



**Supplied with 1 non-removable pin hinge and 2 regular hinges**

N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$65	\$65	\$22 each

## SPRING LOADED HINGES

- Zinc Dichromate
- Brushed Nickel
- Oil Rubbed Bronze
- Polished Chrome
- Black Nickel
- Bright Brass (Penrod)
- Stainless Steel



**Supplied with 2 Spring and 1 regular hinge**

N/A	\$32	\$32	\$20 each
N/A	\$43	\$43	\$25 each
N/A	\$43	\$43	\$25 each
N/A	\$43	\$43	\$25 each
N/A	\$43	\$43	\$25 each
N/A	\$43	\$43	\$25 each
N/A	\$157	\$157	\$81 each

## BALL BEARING HINGES (Therma-Tru)

**Fiber-Classic, Smooth Star, Profiles, Traditions**

- Zinc Dichromate
- Brushed Nickel
- Oil Rubbed Bronze
- Bright Brass
- Black Nickel
- Antique Brass
- Polished Chrome
- Antique Nickel
- Stainless Steel



N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$23	\$23	\$9 each
N/A	\$65	\$65	\$22 each

## BALL BEARING HINGES (Penrod) Inswing & Outswing

**Classic-Craft, Simpson**

- Satin Nickel
- Colonial Bronze
- Bright Brass
- Dull Chrome
- Antique Brass
- Polished Chrome
- Antique Nickel
- Black Primed (Glossy)
- Flat Black
- Stainless Steel



STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
STD	N/A	N/A	\$4 each
\$81	N/A	N/A	\$27 each

For double doors, double the above prices.  
Pricing above includes 6'8", 7'0" and 8'0" doors.

# THERMA-TRU MULTIPOINT LOCKING HARDWARE

## STYLES AVAILABLE

Wide      Narrow




## FINISHES AVAILABLE



	<b>6/8</b>	<b>7/0 or 8/0</b>
Active Handleset	\$643	\$665
Inactive Handleset	\$271	\$271
<p>Prices include matching hinges and security strike plates.</p> <p><b>Manual Shootbolt</b> - engages into head jamb and sill - Recommended for double door units only</p> <p><b>Manual Tongue</b> - engages into jamb/mullion - Recommended for all applications except double door units</p> <p><b>MultiPoint Hardware for inactive door is a dummy handleset only</b></p>		

# Pre-finish

Lumbermen's does not prefinish Traditions Doors



**Painted Door Options:**

Door Painted 1 Color 1 Side	\$152	\$303	\$265	\$378	\$152	\$303	\$460
Door Painted 1 Color Both Sides	\$211	\$422	\$346	\$481	\$211	\$422	\$617
Door Painted 2 Colors 2 Sides	\$368	\$736	\$622	\$876	\$368	\$736	\$1,131

**Stained Door Options:**

Door Stained 1 Color 1 Side	\$211	\$422	\$335	\$459	\$303	\$422	\$584
Door Stained 1 Color Both Sides	\$395	\$790	\$644	\$893	\$279	\$790	\$1,142
Door Stained 2 Colors 2 Sides	\$417	\$833	\$780	\$1,143	\$644	\$833	\$1,325

**Painted Jamb Options:**

Jamb Painted Interior Only	\$108	\$135	\$189	\$270	\$189	\$244	\$352
Jamb Painted 1 Color	\$265	\$345	\$449	\$633	\$379	\$514	\$784
Jamb Painted 2 Colors	\$292	\$379	\$487	\$682	\$433	\$649	\$920

**Stained Jamb Options:**



Jamb Stained Interior Only	\$135	\$216	\$243	\$351	\$243	\$325	\$487
Jamb Stained 1 Color	\$271	\$379	\$460	\$649	\$433	\$595	\$866
Jamb Stained 2 Colors	\$298	\$433	\$541	\$784	\$487	\$784	\$1,085

For 8' units please add: \$ 85 Per door or sidelite  
 Custom paint colors please add per color: \$ 145 (Actual color sample needed to match)

\*\*Please Note: See Finish Warranty for Jamb

**PREMIUM CLADDING OPTIONS**

**Note:** For odd size jamb widths go to the next size larger and add \$20



**Cladding 6'8" Standard Sizes**

4 9/16" Inswing with BM or Narrowline Nosing	\$285	\$357	\$552	\$774	\$503	\$682	\$812	\$1,077
5 1/4" Inswing with BM or Narrowline Nosing	\$319	\$400	\$622	\$571	\$543	\$763	\$914	\$1,206
6 9/16" Inswing with BM or Narrowline Nosing	\$330	\$411	\$633	\$882	\$584	\$784	\$947	\$1,239
8 5/8" Inswing with BM or Narrowline Nosing	\$362	\$452	\$709	\$990	\$628	\$1,028	\$1,039	\$1,363

4 9/16" Outswing with Accessory or Narrowline Brickmold	\$285	\$357	\$552	\$774	\$103	\$682	\$812	\$1,077
5 1/4" Outswing with Accessory or Narrowline Brickmold	\$319	\$400	\$622	\$871	\$563	\$763	\$914	\$1,206
6 9/16" Outswing with Accessory or Narrowline Brickmold	\$330	\$411	\$633	\$882	\$584	\$784	\$947	\$1,239
8 5/8" Outswing with Accessory or Narrowline Brickmold	\$362	\$452	\$709	\$990	\$628	\$1,028	\$1,039	\$1,363

**Cladding 7'0" and 8'0" Standard Sizes**

4 9/16" Inswing with BM or Narrowline Nosing	\$400	\$516	\$774	\$1,228	\$503	\$806	\$871	\$1,531
5 1/4" Inswing with BM or Narrowline Nosing	\$454	\$584	\$936	\$1,401	\$563	\$903	\$1,001	\$1,753
6 9/16" Inswing with BM or Narrowline Nosing	\$465	\$606	\$958	\$1,434	\$584	\$936	\$1,033	\$1,785
8 5/8" Inswing with BM or Narrowline Nosing	\$519	\$665	\$1,077	\$1,617	\$628	\$1,022	\$1,147	\$2,019









4 9/16" Outswing with Accessory or Narrowline Brickmold	\$400	\$516	\$774	\$1,228	\$513	\$807	\$871	\$1,531
5 1/4" Outswing with Accessory or Narrowline Brickmold	\$454	\$584	\$936	\$1,401	\$563	\$903	\$1,001	\$1,753
6 9/16" Outswing with Accessory or Narrowline Brickmold	\$465	\$595	\$947	\$1,434	\$584	\$936	\$1,033	\$1,785
8 5/8" Outswing with Accessory or Narrowline Brickmold	\$519	\$665	\$1,077	\$1,618	\$628	\$1,022	\$1,146	\$2,018

**Stock Colors: Snow Mist, Clay, Tan, Bronze, Brick Red, Chocolate, Mocha, Evergreen, or Black**



# NO-MAR roll form cladding



							
Single	Double Door	Single with 1 Sidelite	Single with 2 Sidelites	Single with Transom	Double with Transom	Single w/ 1 Sidelite and Transom	Single w/ 2 Sidelites and Transom

## 6'8" to 8'0" Installed

Includes 1 tube of matching caulk

4 9/16" to 6 9/16"	\$141	\$244	\$265	\$390	\$265	\$341	\$362	\$514
6 3/4" to 12"	\$184	\$275	\$335	\$487	\$335	\$395	\$433	\$649

## 6'8" to 8'0" Kit (shipped loose)

Includes 1 tube of matching caulk

4 9/16" to 6 9/16"	\$124	\$216	\$233	\$341	\$233	\$298	\$314	\$449
6 3/4" to 12"	\$168	\$249	\$319	\$438	\$319	\$352	\$384	\$584

## Coil Stock

Coil stock 24" x 50'	Available in all 30 colors	\$200
Coil stock by the foot	Available in all 30 colors	\$4.87
Aluminum Trim Nails (Box of 360)		\$32

**Stock Colors:** White, Black, Brown, Clay, Desert Tan, Forest, Snowmist, Andersen Terratone, Andersen White, Bright White


# Interior Casing

\* = Stock (add 1 week for non-stock)

\*\*Sidelite and Transom pricing include lattice

\*\*\*\* Pine/FJPM/Poplar 7'0" & 8'0" add \$5 to price

\*\*\*\*\* Oak/Mahogany/HF 7'0" & 8'0" add \$10 to price



**Pine Casing:**

		UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN
2 1/2 Colonial* (11/16)		\$43	\$93	\$53	\$93	\$57	\$107	\$72	\$122	\$86	\$136
2 1/4 Ranch* (11/16)		\$43	\$93	\$53	\$93	\$57	\$107	\$72	\$122	\$86	\$136
3 1/2 Colonial* (11/16)		\$82	\$132	\$91	\$141	\$105	\$155	\$130	\$180	\$153	\$203
3/4 Shoe*	4'0	\$3	\$5								
3/4 Shoe*	8'0	\$5	\$10								

**FJPM/MD Casing:**


		UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN
2 1/2 Colonial* (11/16)		\$31	\$81	\$39	\$89	\$42	\$92	\$54	\$104	\$68	\$118
2 1/4 Ranch* (11/16)		\$31	\$81	\$39	\$89	\$42	\$92	\$54	\$104	\$68	\$118
3 1/2 Colonial* (11/16)		\$40	\$90	\$46	\$56	\$51	\$101	\$62	\$112	\$77	\$127
3/4 Shoe*	4'0	\$3	\$5								
3/4 Shoe*	8'0	\$5	\$10								



Colonial 361, L361

**Poplar Casing:**


		UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN
2 1/2 Colonial* (1/2)		\$63	\$113	\$75	\$125	\$79	\$129	\$97	\$147	\$110	\$160
2 1/4 Ranch		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3 1/2 Colonial* (3/4)		\$118	\$168	\$118	\$168	\$147	\$197	\$175	\$225	\$204	\$254
3/4 Shoe*	4'0	\$4	\$7								
3/4 Shoe*	8'0	\$7	\$13								



Ranch (modern) 327

**Oak Casing:**

		UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN
2 1/2 Colonial (1/2)		\$61	\$111	\$77	\$127	\$85	\$135	\$115	\$165	\$142	\$192
2 1/4 Ranch		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3 1/2 Colonial (3/4)		\$101	\$151	\$120	\$170	\$134	\$184	\$168	\$218	\$201	\$251
3/4 Shoe	4'0	\$5	\$10								
3/4 Shoe	8'0	\$9	\$19								



Base Shoe 126

**Mahogany Casing:**

		UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN
2 1/2 Colonial (1/2)		\$167	\$217	\$157	\$207	\$220	\$270	\$274	\$324	\$328	\$378
2 1/4 Ranch		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3 1/2 Colonial (3/4)		\$194	\$243	\$234	\$284	\$253	\$303	\$312	\$362	\$372	\$422
3/4 Shoe	4'0	\$10	\$21								
3/4 Shoe	8'0	\$20	\$42								

**Hem Fir Casing:**

		UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN	UNF	PFN
2 1/2 Colonial (1/2)		\$142	\$192	\$171	\$221	\$186	\$236	\$230	\$280	\$274	\$324
2 1/4 Ranch		NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
3 1/2 Colonial (3/4)		\$169	\$219	\$203	\$253	\$222	\$272	\$276	\$326	\$330	\$380
3/4 Shoe	4'0	\$9	\$18								
3/4 Shoe	8'0	\$17	\$36								

## THERMA TRU

	Size	Jamb to Jamb	Rough Opening	Brickmold to Brickmold
<b>Single Unit</b>	2'6"	31 5/8	32 1/2	34 1/8
	2'8"	33 5/8	34 1/2	36 1/8
	2'10"	35 5/8	36 1/2	38 1/8
	3'0"	37 5/8	38 1/2	40 1/8
	3'6"	43 5/8	44 1/2	46 1/8
<b>Double (French) Unit</b>	5'0"	62 9/16	63 1/2	65 1/16
	5'4"	66 9/16	67 1/2	69 1/16
	5'8"	70 9/16	71 1/2	73 1/16
	6'0"	74 9/16	75 1/2	77 1/16
	7'0"	86 9/16	87 1/2	89 1/16
<b>Single w/ One Sidelite (Wide Mull/Boxed)</b>	3'0" w/ one 12" S/L	51 1/8	52	53 5/8
	3'0" w/ one 14" S/L	53 1/8	54	55 5/8
<b>Single w/ Two Sidelites (Wide Mull/Boxed)</b>	3'0" w/ two 12" S/L	64 11/16	65 1/2	67 3/16
	3'0" w/ two 14" S/L	68 11/16	69 1/2	71 3/16
<b>Center Hinge Unit</b>	5'0"	63 5/16	64	65 13/16
	5'4"	67 5/16	68	69 13/16
	5'8"	71 5/16	72	73 13/16
	6'0"	75 5/16	76	77 13/16
<b>Inswing Heights</b>	6'8"	82	82 1/2	83 1/4
	7'0"	86	86 1/2	87 1/4
	8'0"	98	98 1/2	99 1/4
<b>For Outswing Units</b>	<b>Deduct 1" from inswing heights</b>			
<b>For ADA Sills</b>	<b>Deduct 1" from inswing heights</b>			
<b>For Narrow Mull</b>	<b>Deduct 1/2" per sidelight</b>			
<b>For Cladded Outswing Units</b>	<b>Add 1/4" to width dimensions shown</b>			



## nano-finish technology by Lumbermen's Limited Warranty

**THIS WRITING CONTAINS THE ENTIRE AGREEMENT BETWEEN LUMBERMEN'S, INC. ("LUMBERMEN'S") AND THE CONSUMER PURCHASER FOR THE NANO-FINISH FINISHING SYSTEM WARRANTY. PURCHASERS, DEALERS, CONTRACTORS, APPLICATORS, OR DISTRIBUTORS OF LUMBERMEN'S PRODUCTS HAVE NO AUTHORITY TO GIVE WARRANTIES ON LUMBERMEN'S BEHALF THAT ARE DIFFERENT FROM OR EXCEED THOSE LISTED HEREIN. A CONSUMER PURCHASER SHOULD THEREFORE EXAMINE THIS LIMITED WARRANTY CAREFULLY. THIS LIMITED WARRANTY EXTENDS ONLY TO THE ORIGINAL CONSUMER PURCHASER. THIS LIMITED WARRANTY CANNOT BE ASSIGNED OR TRANSFERRED BY OPERATION OF LAW OR OTHERWISE AND SHALL NOT BE EXTENDED TO ANY SUBSEQUENT OWNERS.**

**SINGLE FAMILY RESIDENCE APPLICATIONS:** The nano-finish technology by Lumbermen's is the industry's most advanced entry door finishing system. Paint and/or stain finishes on the door slab are warranted against peeling, checking, flaking, or blistering for the following period from the date of purchase:

Therma-Tru Classic-Craft® –**15 year warranty.** Therma-Tru Fiber-Classic®, Smooth-Star®, Pulse™, Profiles®- **10 year warranty.**

**NON-RESIDENTIAL APPLICATIONS:** Where the structure in which the product is installed is not a single family residence or a home occupied by the original consumer purchaser and is owned by a public or private corporation for profit or non-profit, an unincorporated association, or other business entity of any type recognized by law, a church, a school, or a governmental or public authority, the paint and stain finishes on the door slab are warranted against peeling, checking, flaking, or blistering for a period of one (1) year from the date of purchase.

Paint and/or stain finishes on the interior/exterior of the finished frame are warranted against peeling, checking, flaking, or blistering for the following period from the date of purchase:

Dura-Tech, Dura-Plast Frames—**3 year warranty.** Wood Frames—**90 Day warranty.**

*This warranty is only for the nano-finish technology by Lumbermen's finishing system and not the door upon which the finishing system is installed. See door manufacturers' written warranties. Colors are matched as closely as possible to our standards. The color chips used in color selection should be used as a guide only. Slight variation in color is considered normal.*

If the finishes on the products sold fail and this warranty applies, the sole procedure for obtaining performance of the obligations of this warranty are as follows: if the consumer purchaser believes the nano-finish technology by Lumbermen's as installed is defective, the consumer purchaser must contact the dealer from whom the product was purchased who will then contact Lumbermen's. If Lumbermen's determines, in its sole discretion, that the nano-finish technology by Lumbermen's as installed does not conform to the limited warranties herein, the consumer purchaser's sole remedy and Lumbermen's sole obligation to consumer purchaser will be that Lumbermen's will provide the consumer purchaser with a replacement nano-finish technology by Lumbermen's of equal or lesser value. Lumbermen's reserves the right to discontinue or make changes in any of its products. If the product covered by this warranty is no longer available, Lumbermen's shall have the right to substitute a product that is of equal or lesser value. (COLOR AND GRAINING MATCHING NOT GUARANTEED). This Limited Warranty does **NOT** cover any of the following costs and expenses: Labor for removing, reinstalling, refinishing product, (or other materials that are removed, reinstalled or refinished to repair or replace the product); shipping freight expenses to return the product to Lumbermen's; normal maintenance; consequential, special or indirect losses or damages of any kind; non-economic or economic loss, damage to property, loss of use, lost profits, or expenses for inconvenience.

All warranties are made subject to the proper use of the products. This warranty does not cover any damage resulting from: improper installation of a product; modification, refurbishment or repair of the product or the finish on the product; neglect, abuse, or abnormal use (including failure to perform necessary maintenance); damages resulting from acts of God, lightning, fire, windstorms, earthquakes, wind-borne objects, coastal applications; damage caused by freight carriers, private transportation, or any other means of transportation or handling occurring after initial shipping from Lumbermen's; strain applied to the unit by movement of the building, inadequate provision for expansion or contraction of framing members; or other causes beyond the control of Lumbermen's or considered beyond reasonable, normal use. Finishes, whether paint or stain, can be affected by varying degrees of exposure to the weather and elements and should not be viewed as "maintenance free." A fresh coat of exterior high quality polyurethane should be applied whenever you detect a change in your original stain finish (does not apply to painted doors).

THE EXPRESS WARRANTIES SET FORTH HEREIN ARE THE ONLY WARRANTIES APPLICABLE TO THE NANO-FINISH TECHNOLOGY BY LUMBERMEN'S FINISHING SYSTEM AND ARE EXPRESSLY IN LIEU OF ANY OTHER WARRANTY EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. LUMBERMEN'S SHALL NOT BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES OF ANY NATURE, INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFIT OR REVENUE. Some states do not allow for limitations on liability or warranties, so the above limitations may not apply to consumer purchaser.

*Any claim asserted under any provision of this warranty must be accompanied by a copy of the proof of purchase and the original packaging of the nano-finish technology by Lumbermen's. The consumer purchaser should maintain these items in a safe and secure place.*



# Entry Door Warranty and Care Guide

with THERMA TRU<sup>®</sup>  
DOORS



## Proper Maintenance and Care for your Assembled Door System

### Generally:

1. To clean doors, wash with mild soap and water, rinse with clean water and wipe dry. Do not use abrasive cleaners on the finish of your new door.
2. Keep your weather-stripping clean of dirt for proper seal. Clean with mild soap and water. Rinse with clean water and wipe dry.
3. If your nano-finish technology is accidentally chipped or scratched, clean as recommended and use touch-up paint or wood finish repair crayon and stain provided with your door. A fresh coat of exterior high quality polyurethane should be applied whenever you detect a change in original finish.
4. Timely and proper cleaning of your hinges will help extend the finish appearance and discourage the possibility of rust and corrosion. Hinges should be wiped down periodically with a soft, water-dampened cloth and dried off with a soft dry cloth. Abrasive cleaners or harsh chemicals should never be used on hinges.

5. Lightly oil and tighten screws on hinges as needed. Wipe off excess oil.

### Hardware:

1. Exposure to certain environmental conditions, including but not limited to, salt spray, acid rain, high humidity or other corrosive elements may adversely affect the coatings on finishes, as well as the mechanical locking system (door handles and lockset). The finest brass will react naturally to the elements surrounding it. To maintain, wipe down periodically with soft, water-dampened cloth and dry off with a soft dry cloth. You may polish with a nonabrasive automotive or furniture wax. By keeping your hardware cleaned and maintained you will be rewarded with a longer lasting finish. Abrasive cleaners or harsh chemicals should never be used on your door hardware.
2. Tighten screws on lockset and deadbolt when necessary.

## REMINDER: TIMELY AND PROPER FINISHING AND MAINTENANCE

**TIMELY AND PROPER FINISHING AND ONGOING MAINTENANCE OF THE ASSEMBLED DOOR SYSTEM IS A KEY REQUIREMENT AND OBLIGATION OF THE WARRANTY HOLDER** in order to reduce the chance of damage of the type which is not covered by the door component manufacturers' limited warranties, as well as the Limited Assembly Warranty and Lumbermen's nano-finish technology Warranty, and to reduce the preparatory work that must be performed by the Residential Warranty Holder or its agents in order to properly finish and maintain the door component and Assembled Door System. This is particularly a consideration for Assembled Door Systems with steel doors and/or sidelites, and especially if these door systems are installed within 5 miles of a body of salt water (coastal) or installed in areas exposed to harsh conditions.



[www.lumbermens-inc.com](http://www.lumbermens-inc.com)



**Entry Door Residential Warranty Information**  
**Lumbermen's Limited Assembly Warranty**

Lumbermen's, Inc. ("Lumbermen's") is pleased to provide the original homeowner a 1 year limited warranty on the quality of its assembly workmanship on every entry door system it assembles into an assembled door system ("Assembled Door System") purchased from Lumbermen's Entry Door Division ("Limited Assembly Warranty"). This warranty begins on the date the Entry Door System is purchased from Lumbermen's (not the date of installation or later purchase by homeowner). This Limited Assembly Warranty is provided to the original homeowner who resides inside the United States ("Warranty Holder"). See [www.lumbermens-inc.com](http://www.lumbermens-inc.com) for full warranty, terms, exclusions and other limitations.

**Door Component Manufacturers' Limited Warranties**

Leading independent manufacturers manufacture the components that the Warranty Holder selects and that Lumbermen's Entry Door Division assembles into an Assembled Door System. Each door component manufacturer provides its own limited warranties to the Warranty Holder for the manufacturer's components. Lumbermen's does NOT warrant the individual components of the Assembled Door System, and is not authorized to change the manufacturers' limited warranties. A full copy of each component manufacturer's limited warranty, including all terms, exclusions, disclaimers and other limitations is available on the component manufacturer's own website and a copy of each of these limited warranties can be obtained from Lumbermen's or from the dealer from whom the Assembled Door System was purchased.

**Warranty Service Process for a Lumbermen's Assembled Door System**

If the Warranty Holder believes it is necessary to request warranty service due to any Lumbermen's workmanship in assembling the Assembled Door System, the Warranty Holder must contact the dealer from whom the Assembled Door System was purchased, or Lumbermen's directly in the unlikely event that party is not responsive to the request. If after inspection from the said dealer and/or a Lumbermen's representative it is determined in Lumbermen's sole discretion that the Limited Assembly Warranty applies and that Lumbermen's assembly of the Assembled Door System was non-conforming workmanship, Lumbermen's sole obligation to the Warranty Holder and the Warranty Holder's sole remedy under this Limited Assembly Warranty is to either (i) repair or re-perform Lumbermen's assembly in a conforming manner; (ii) provide a replacement Assembled Door System or replacement component of approximately comparable value; or (iii) refund to the Warranty Holder the wholesale purchase price of the affected component(s) or door system. Lumbermen's, not the Warranty Holder, has the sole right to elect the specific remedy. If Lumbermen's elects remedy (i) or (ii) above, Lumbermen's will also cover the reasonable related labor for removing, reinstalling, and refinishing the Assembled Door System to the same condition as prior to when damages arose, which is not necessarily to "like new" condition. To the extent the warranty service is due to the manufacturers' door component part or improper installation, NOT Lumbermen's assembly workmanship, then Lumbermen's will NOT cover labor costs for removing, reinstalling, and refinishing the Assembled Door System, and Lumbermen's is NOT responsible for the defective door component. If an issue is due to defective door component(s), the Warranty Holder must timely contact the door component manufacturer(s) under the terms of their separate limited warranties.

**Limitations**

All warranties are made subject to the proper use of the Assembled Door System. This Limited Assembly Warranty does not cover any damage resulting from: improper installation of the Assembled Door System; modification, refurbishment or repair of the Assembled Door System without Lumbermen's prior consent; neglect, abuse, or abnormal use; damages resulting from acts of God, lightning, fire, windstorms, earthquakes, wind-borne objects, coastal applications; damage caused by freight carriers, private transportation, or any other means of transportation or handling occurring after initial shipping from Lumbermen's; other causes beyond the control of Lumbermen's or considered beyond reasonable, normal use; or failure to properly maintain the Assembled Door System as set forth below. THE EXPRESS WARRANTIES SET FORTH IN THIS LIMITED ASSEMBLY WARRANTY ARE THE ONLY LUMBERMEN'S WARRANTIES APPLICABLE TO THE ASSEMBLED DOOR SYSTEM AND ARE EXPRESSLY IN LIEU OF ANY OTHER WARRANTY BY LUMBERMEN'S EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. LUMBERMEN'S SHALL NOT BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES OF ANY NATURE, INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFIT OR REVENUE. Some states do not allow for limitations on liability or warranties, so the above limitations may not apply to you.

**Summary of Door Components and Warranty Duration**

Subject to the above, the following information may serve as a convenient SUMMARY of the door components that Lumbermen's typically uses in its Assembled Door Systems, and the duration of the separate limited warranty that the named door component manufacturer typically provides to the original residential warranty holder so long as the homeowner resides in the home. This Summary is not binding on the component manufacturers.

Finish	Lumbermen's nano-finish technology applied paint/stain finish: Warranted against peeling, checking, flaking or blistering: 10-15 years for door slab (depending on slab choice see warranty duration), sidelites, and glass/lite frames [exceptions: 5 years for installations within 5 miles of salt water (coastal); 4 years Extreme Exposure States: AK, FL, HI, ID, MT, ND, NM, OR, SD, UT, WA, WY]; 90 days for exterior/interior finished frames.	15 years Classic-Craft® 10 years Fiber-Classic®, Smooth-Star®, Pulse™, Profiles® (5 years coastal) (4 years: Extreme Exposure States) Dura-Tech and Dura-Plast 3 years 90 days wood frames
Door /Glass <sup>3</sup>	Therma-Tru® Classic-Craft®, Fiber-Classic®, Smooth-Star®, Pulse™ fiberglass doors, sidelites, and glass	Lifetime
	Therma-Tru Traditions wood edge steel doors and sidelites	5 years
	Therma-Tru Traditions glass for doors and sidelites	10 years
	Therma-Tru Profiles™ steel doors, sidelites, and glass	10 years
	Non-Therma-Tru <sup>4</sup> glass	10 years
Door Framing	Non-Therma-Tru <sup>4</sup> direct-set sidelite glass	10 years
	Dura-Frame™ exterior wood jambs, mull posts and brickmold	Lifetime
	Dura-Plast™ composite jambs and brickmold	Lifetime
	Dura-Tech stainable woodgrain jambs, mull posts and brickmold	Lifetime
	Therma-Tru Adjusta-Fit® <sup>2</sup> steel door frames	Door Unit Warranty
	Non-Therma-Tru <sup>4</sup> steel jambs	1 year
Other Door System Components	Corner seal pads, sills, door bottom sweeps (gaskets), rain guards / rain deflectors, sill pan, screens, internal grids, weatherstrip, aluminum or stainable astragals, and wood grills will generally be sourced from Therma-Tru and then will be warranted by Therma-Tru for the same duration as the door unit. For example, for a Traditions Steel Door, these components are warranted under Therma-Tru's residential limited warranty for 5 years. (Certain wear and tear and other limitations apply.)	Door Slab Warranty Period
Transoms	Therma-Tru transoms with any Therma-Tru glass (clear, Low-E, decorative)	Door Unit Warranty Period
	Non-Therma-Tru <sup>4</sup> transoms with clear glass and low-e glass transoms with or without internal mutins or wood grilles	10 years
	Non-Therma-Tru <sup>4</sup> transoms with decorative glass	10 years
Hardware	Therma-Tru multi-point locking system, mechanical component and locking mechanisms only (excluding coastal installations, installation on steel doors, and hardware finish)	Lifetime
	Schlage® handles and lock products: finish and mechanical components are warranted for lifetime of product; electronic components are warranted for 1 year	See Hardware Note
	Schlage® non-lock products, including mail slot, kick plate, peep sight, knocker or viewer, push/pull plates, and ball catch	1 year
	Hinges <sup>4</sup> (mechanical) (excluding coastal installations and finish)	Door Unit Warranty Period

<sup>1</sup>Lumbermen's reserves the right to discontinue or make component product changes.

<sup>2</sup>Subject to the terms, exclusions, disclaimers and limitations stated in the component manufacturer's limited warranty.

<sup>3</sup>"Door" means the door slab, including when ordered: any inserted panels, dentil shelf, divider bars on doors (and sidelites). The Glass component limited warranty typically relates to glazing, seal, internal insert placement, absence of permanent/material obstruction from moisture or dust formation in air space and wood grills.

<sup>4</sup>The identity of "Non-Therma-Tru" door component manufacturers is available from Lumbermen's on request. Therma-Tru®, Classic Craft®, Fiber Classic®, Smooth Star®, Pulse™, Profiles™, Adjusta-Fit®2, and Traditions are trademarks of Therma-Tru Corp ([www.thermatru.com](http://www.thermatru.com)); all other trademarks are the property of their respective owners.





**Entry Door Residential Warranty Information**  
**Lumbermen's Limited Assembly Warranty**

Lumbermen's, Inc. ("Lumbermen's") is pleased to provide the original homeowner a 1 year limited warranty on the quality of its assembly workmanship on every entry door system it assembles into an assembled door system ("Assembled Door System") purchased from Lumbermen's Entry Door Division ("Limited Assembly Warranty"). This warranty begins on the date the Entry Door System is purchased from Lumbermen's (not the date of installation or later purchase by homeowner). This Limited Assembly Warranty is provided to the original homeowner who resides inside the United States ("Warranty Holder"). See [www.lumbermens-inc.com](http://www.lumbermens-inc.com) for full warranty, terms, exclusions and other limitations.

**Door Component Manufacturers' Limited Warranties**

Leading independent manufacturers manufacture the components that the Warranty Holder selects and that Lumbermen's Entry Door Division assembles into an Assembled Door System. Each door component manufacturer provides its own limited warranties to the Warranty Holder for the manufacturer's components. Lumbermen's does NOT warrant the individual components of the Assembled Door System, and is not authorized to change the manufacturers' limited warranties. A full copy of each component manufacturer's limited warranty, including all terms, exclusions, disclaimers and other limitations is available on the component manufacturer's own website and a copy of each of these limited warranties can be obtained from Lumbermen's or from the dealer from whom the Assembled Door System was purchased.

**Warranty Service Process for a Lumbermen's Assembled Door System**

If the Warranty Holder believes it is necessary to request warranty service due to any Lumbermen's workmanship in assembling the Assembled Door System, the Warranty Holder must contact the dealer from whom the Assembled Door System was purchased, or Lumbermen's directly in the unlikely event that party is not responsive to the request. If after inspection from the said dealer and/or a Lumbermen's representative it is determined in Lumbermen's sole discretion that the Limited Assembly Warranty applies and that Lumbermen's assembly of the Assembled Door System was non-conforming workmanship, Lumbermen's sole obligation to the Warranty Holder and the Warranty Holder's sole remedy under this Limited Assembly Warranty is to either (i) repair or re-perform Lumbermen's assembly in a conforming manner; (ii) provide a replacement Assembled Door System or replacement component of approximately comparable value; or (iii) refund to the Warranty Holder the wholesale purchase price of the affected component(s) or door system. Lumbermen's, not the Warranty Holder, has the sole right to elect the specific remedy. If Lumbermen's elects remedy (i) or (ii) above, Lumbermen's will also cover the reasonable related labor for removing, reinstalling, and refinishing the Assembled Door System to the same condition as prior to when damages arose, which is not necessarily to "like new" condition. To the extent the warranty service is due to the manufacturers' door component part or improper installation, NOT Lumbermen's assembly workmanship, then Lumbermen's will NOT cover labor costs for removing, reinstalling, and refinishing the Assembled Door System, and Lumbermen's is NOT responsible for the defective door component. If an issue is due to defective door component(s), the Warranty Holder must timely contact the door component manufacturer(s) under the terms of their separate limited warranties.

**Limitations**

All warranties are made subject to the proper use of the Assembled Door System. This Limited Assembly Warranty does not cover any damage resulting from: improper installation of the Assembled Door System; modification, refurbishment or repair of the Assembled Door System without Lumbermen's prior consent; neglect, abuse, or abnormal use; damages resulting from acts of God, lightning, fire, windstorms, earthquakes, earthquakes, wind-borne objects, coastal applications; damage caused by freight carriers, private transportation, or any other means of transportation or handling occurring after initial shipping from Lumbermen's; other causes beyond the control of Lumbermen's or considered beyond reasonable, normal use; or failure to properly maintain the Assembled Door System as set forth below. THE EXPRESS WARRANTIES SET FORTH IN THIS LIMITED ASSEMBLY WARRANTY ARE THE ONLY LUMBERMEN'S WARRANTIES APPLICABLE TO THE ASSEMBLED DOOR SYSTEM AND ARE EXPRESSLY IN LIEU OF ANY OTHER WARRANTY BY LUMBERMEN'S EXPRESS OR IMPLIED, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. LUMBERMEN'S SHALL NOT BE LIABLE FOR ANY INDIRECT, SPECIAL, INCIDENTAL, CONSEQUENTIAL OR PUNITIVE DAMAGES OF ANY NATURE, INCLUDING, BUT NOT LIMITED TO, LOSS OF PROFIT OR REVENUE. Some states do not allow for limitations on liability or warranties, so the above limitations may not apply to you.

**Summary of Door Components and Warranty Duration**

Subject to the above, the following information may serve as a convenient SUMMARY of the door components that Lumbermen's typically uses in its Assembled Door Systems, and the duration of the separate limited warranty that the named door component manufacturer typically provides to the original residential warranty holder so long as the homeowner resides in the home. This Summary is not binding on the component manufacturers.

Finish	Lumbermen's nano-finish technology applied paint/stain finish: Warranted against peeling, checking, flaking or blistering: 10-15 years for door slab (depending on slab choice see warranty duration), sidelites, and glass/lite frames [exceptions: 5 years for installations within 5 miles of salt water (coastal); 4 years Extreme Exposure States: AK, FL, HI, ID, MT, ND, NM, OR, SD, UT, WA, WY]; 90 days for exterior/interior finished frames.	15 years Classic-Craft® 10 years Fiber-Classic®, Smooth-Star®, Pulse™, Profiles® (5 years coastal) (4 years: Extreme Exposure States) Dura-Tech and Dura-Plast 3 years 90 days wood frames
Door /Glass <sup>3</sup>	Therma-Tru® Classic-Craft®, Fiber-Classic®, Smooth-Star®, Pulse™ fiberglass doors, sidelites, and glass	Lifetime
	Therma-Tru Traditions wood edge steel doors and sidelites	5 years
	Therma-Tru Traditions glass for doors and sidelites	10 years
	Therma-Tru Profiles™ steel doors, sidelites, and glass	10 years
	Non-Therma-Tru <sup>4</sup> glass	10 years
Door Framing	Non-Therma-Tru <sup>4</sup> direct-set sidelite glass	10 years
	Dura-Frame™ exterior wood jambs, mull posts and brickmold	Lifetime
	Dura-Plast™ composite jambs and brickmold	Lifetime
	Dura-Tech stainable woodgrain jambs, mull posts and brickmold	Lifetime
Other Door System Components	Therma-Tru Adjusta-Fit® <sup>2</sup> steel door frames	Door Unit Warranty
	Non-Therma-Tru <sup>4</sup> steel jambs	1 year
Other Door System Components	Corner seal pads, sills, door bottom sweeps (gaskets), rain guards / rain deflectors, sill pan, screens, internal grids, weatherstrip, aluminum or stainable astragals, and wood grills will generally be sourced from Therma-Tru and then will be warranted by Therma-Tru for the same duration as the door unit. For example, for a Traditions Steel Door, these components are warranted under Therma-Tru's residential limited warranty for 5 years. (Certain wear and tear and other limitations apply.)	Door Slab Warranty Period
Transoms	Therma-Tru transoms with any Therma-Tru glass (clear, Low-E, decorative)	Door Unit Warranty Period
	Non-Therma-Tru <sup>4</sup> transoms with clear glass and low-e glass transoms with or without internal mutins or wood grilles	10 years
	Non-Therma-Tru <sup>4</sup> transoms with decorative glass	10 years
Hardware	Therma-Tru multi-point locking system, mechanical component and locking mechanisms only (excluding coastal installations, installation on steel doors, and hardware finish)	Lifetime
	Schlage® handles and lock products: finish and mechanical components are warranted for lifetime of product; electronic components are warranted for 1 year	See Hardware Note
	Schlage® non-lock products, including mail slot, kick plate, peep sight, knocker or viewer, push/ pull plates, and ball catch	1 year
	Hinges <sup>4</sup> (mechanical) (excluding coastal installations and finish)	Door Unit Warranty Period

<sup>1</sup>Lumbermen's reserves the right to discontinue or make component product changes.

<sup>2</sup>Subject to the terms, exclusions, disclaimers and limitations stated in the component manufacturer's limited warranty.

<sup>3</sup>"Door" means the door slab, including when ordered: any inserted panels, dentil shelf, divider bars on doors (and sidelites). The Glass component limited warranty typically relates to glazing, seal, internal insert placement, absence of permanent/material obstruction from moisture or dust formation in air space and wood grills.

<sup>4</sup>The identity of "Non-Therma-Tru" door component manufacturers is available from Lumbermen's on request. Therma-Tru®, Classic Craft®, Fiber Classic®, Smooth Star®, Pulse™, Profiles™, Adjusta-Fit®2, and Traditions are trademarks of Therma-Tru Corp ([www.thermatru.com](http://www.thermatru.com)); all other trademarks are the property of their respective owners.




# Lumbermen's Inc. Standard Factory Paint Finishes

Order your door with a baked-on factory finish.


## COLOR OPTIONS




BLACK



FROST




SHELL




SOUTHERN BREEZE



ALMOND



SANDCASTLE



OSTRICH FEATHER



TAN




HEATHER




STONE GRAY




CLAY



PATCHES




BRONZE




CHOCOLATE




MOCHA



SNOW MIST



DOVE GRAY



FIELDSTONE




SLATE




CANYON SLATE



DURATECH WHITE



COMPOSITE WHITE



COBBLESTONE



PEBBLESTONE



SEABREEZE

Due to the printing process, colors shown approximate as closely as possible to the actual paint color. If your project requires an actual paint chip, please consult your dealer.







# Lumbermen's Inc. Standard Factory Paint Finishes

Order your door with a baked-on factory finish.

## COLOR OPTIONS




SILVER BLUEBERRY



OCEAN BLUE




ADMIRAL BLUE



BLUE WILLOW



SILENT NIGHT




FOR EVER GREEN



HURON BLUE



SHIMMERING BLUE



COUNTRY GREEN




CLOVER GREEN



FOREST GREEN



EVERGREEN



MORNING SUN




AUTUMN GOLD



METROPOLITAN  
ORANGE




CORAL RED



BRICK RED



COLONIAL RED



RUBY LIPS



NORTHERN GRAPE



Due to the printing process, colors shown approximate as closely as possible to the actual paint color. If your project requires an actual paint chip, please consult your dealer.

	Classic Craft American	Classic Craft Rustic	Classic Craft Mahogany	Classic Craft Oak	Fiber Classic Mahogany	Fiber Classic Oak
Mahogany						
Cherry						
Cedar						
Natural Oak						
Light Oak						
Walnut						
English Walnut						
Provincial						
Cider						
Rosewood						

Due to the printing process, colors shown approximate as closely as possible to the actual stain color. If your project requires an actual stain chip, please consult your dealer.